

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

831 September 4, 1896

Reports of States and yearly and monthly reports of cities.

CONNECTICUT—Bridgeport.—Month of July, 1896. Estimated population, 58,860. Total deaths, 127, including phthisis pulmonalis, 13; diphtheria and croup, 4, and measles, 1.

Iowa—Atlantic.—Month of July, 1896. Estimated population, 4,151. Total deaths, 5, including phthisis pulmonalis, 1, and diphtheria, 2.

Boone.—Month of June, 1896. Estimated population, 8,845. Total deaths, 3, including diphtheria, 1.

Month of July, 1896. Total deaths, 7, including diphtheria, 1.

Cedar Rapids.—Month of June, 1896. Estimated population, 21,555. Total deaths, 13, including 1 from phthisis pulmonalis.

Month of July, 1896. Total deaths, 18, including phthisis pulmonalis, 3.

Clinton.—Month of June, 1896. Estimated population, 25,000. Total deaths, 31, including phthisis pulmonalis, 1.

Month of July, 1896. Total deaths, 39, including phthisis pulmonalis, 4; enteric fever, 2, and diphtheria, 1.

Council Bluffs.—Month of June, 1896. Estimated population, 20,189. Total deaths, 18, including phthisis pulmonalis, 4.

Month of July, 1896. Total deaths, 18, including 1 from enteric fever. *Creston.*—Month of June, 1896. Estimated population, 7,306. Total deaths, 7, including 1 from phthisis pulmonalis.

Month of July, 1896. Total deaths, 6. No deaths from contagious diseases.

Davenport.—Month of June, 1896. Estimated population, 31,484. Total deaths, 30, including 1 from phthisis pulmonalis and 1 from whooping cough.

Month of July, 1896. Total deaths, 47, including phthisis pulmonalis, 4; diphtheria, 4, and whooping cough, 2.

Decorah.—Month of June, 1896. Estimated population, 3,200. Two deaths. No deaths from contagious diseases.

Des Moines.—Month of June, 1896. Estimated population, 82,600. Total deaths, 56, including phthisis pulmonalis, 5; enteric fever, 1, and diphtheria, 4.

Month of July, 1896. Total deaths, 58, including phthisis pulmonalis, 4; enteric fever, 1, and measles, 1.

Dubuque.—Month of June, 1896. Estimated population, 40,000. Total deaths, 23, including phthisis pulmonalis, 6, and diphtheria, 1.

Month of July, 1896. Total deaths, 38, including 2 from phthisis pulmonalis.

Eldon.—Month of July, 1896. Estimated population, 1,900. Total deaths, 3. No deaths from contagious diseases.

Fort Dodge.—Month of June, 1896. Estimated population, 8,000. Total deaths, 5, including phthisis pulmonalis, 1, and whooping cough, 1.

Keokuk.—Month of June, 1896. Estimated population, 15,000. Total deaths, 15, including 2 from phthisis pulmonalis.

Oskaloosa.—Month of June, 1896. Estimated population, 8,500. Total deaths, 4. No deaths from contagious diseases.

Month of July, 1896. Total deaths, 5. No deaths from contagious diseases.

Ottumua.—Month of June, 1896. Estimated population, 17,000. Total deaths, 9. No deaths from contagious diseases.

Month of July, 1896. Total deaths, 21, including 3 from phthisis pulmonalis, and 1 from enteric fever.

MASSACHUSETTS—Worcester.—Month of July, 1896. Estimated population, 102,000. Total deaths, 174, including scarlet fever, 2; diphtheria, 2; measles 1, and phthisis pulmonalis, 19.

MICHIGAN.—Week ended August 22, 1896. Reports to the State board of health, Lansing, from 51 observers, indicate that inflammation of kidney and tonsillitis increased in area of prevalence. Phthisis pulmonalis was reported present during the week at 217 places, enteric fever at 51, scarlet fever at 17, diphtheria at 15, measles at 13, and whooping cough at 13 places.

MINNESOTA—Minneapolis.—Month of July, 1896. Estimated population, 225,602. Total deaths, 221, including phthisis pulmonalis, 20; enteric fever, 4; diphtheria, 3, and measles, 1.

St. Paul.—Month of July, 1896. Estimated population, 150,000. Total deaths, 262, including phthisis pulmonalis, 22; diphtheria, 9, and measles, 1.

NEW JERSEY—Hudson County.—Estimated population, 338,671. Total deaths, 613, including phthisis pulmonalis, 60; enteric fever, 5; scarlet fever, 1; croup, 3; diphtheria, 31, and whooping cough, 13.

NEW YORK—Buffalo.—Month of July, 1896. Estimated population, 350,000. Total deaths, 542, including phthisis pulmonalis, 33; enteric fever, 4; diphtheria, 5; measles, 3; croup, 2, and whooping cough, 7.

PENNSYLVANIA—Pottsville.—Four weeks ended August 27, 1896. Estimated population, 14,000. Total deaths, 26, including 1 from enteric fever.

TENNESSEE.—Reports to the State board of health from 6 cities and towns having an aggregate population of 239,381 (white, 150,363; colored, 89,018). Total deaths, 444 (white, 215; colored, 229), including phthisis pulmonalis, 79; enteric fever, 13; scarlet fever, 2, and whooping cough, 4.

WISCONSIN—Manitowoc.—Month of August, 1896. Estimated population, 9,400. Total deaths not reported. Two deaths from diphtheria and 1 from scarlet fever.

Milwaukee.—Month of July, 1896. Estimated population, 260,000. Total deaths, 416, including phthisis pulmonalis, 28; enteric fever, 3; diphtheria, 9; croup, 3; measles, 1, and whooping cough, 3.